Filter groups (samples or cells)

- Configuring a filter
- Configuring multiple filters
- Filter groups task report

Filter samples or cells in order to perform downstream analysis on a subset of data.

To filter groups, click a count matrix or single cell counts data node, click the Filtering section of the toolbox, and choose to **Filter samples** (bulk data) or **Filter cells** (single cell data).

The dialog lets you build a series of filters based on sample or cell attributes.

Click Finish to apply the filter. If no sample or cell will pass the filter criteria, a warning message will appear and the task will not run.

Configuring a filter

The first drop-down menu allows you to choose to include or exclude based on the specified criteria.

The second drop-down menu allows you to choose any categorical or numeric attribute to use for the filter criteria.

If the attribute is **categorical**, the third drop-down menu includes **in** and **not in** as options. A fourth drop-down menu allows you to search and choose from the levels of the selected attribute (Figure 1).




Figure 7. Filtering by a categorical attribute

If the attribute is **numeric**, the the third drop-down includes:

- <: less than
- <=: less than or equal to</p>
- == equal to
- >: greater than
- >=: greater than or equal to

The threshold is set using the text box (Figure 2). The input must be a number; it can be an integer or decimal, positive or negative.




Figure 8. Filtering groups by a numeric attribute

Configuring multiple filters

Using the OR and AND options, you can combine multiple filters.

When combining multiple filters all set to **Include**:

With AND, if all statements must be true for the sample to meet the filter criteria.

With \mathbf{OR} , if any statement is true, the sample will meet the filter criteria.

When combining multiple filters all set to **Exclude**:

With AND, if any statement is true, the sample will meet the filter criteria.

With **OR**, all statements must be true for the sample to meet the filter criteria.

Filter groups task report

The filter groups task report lists the filter criteria and reports feature distribution statistics for the remaining samples (Figure 3).




Figure 9. Filter samples task report - feature distribution table

If the input was a count matrix data node, the percentage of samples remaining after the filter is listed and charts are provided to show the breakdown of samples by categorical attributes before and after filtering (Figure 4).




Figure 10. Filter samples report - feature distribution table

If the input was a single cell counts data node, a second table displays the details from each sample based on the filtered criteria (Figure 5).

Filter criteria exclude Classifications is N/A

Feature distribution (12 samples; 2,120 features)

Optional columns

Sample name ↑₹	# Cells ↑↓	Min ↑↓	2nd min ↑↓	Max ↑↓	Mean ↑↓	Missing ↑↓
CT1	3468	0	6.3	19.1	2.8	0
CT2	5261	0	6.4	19.3	2.2	0
CT3	2799	0	6.5	19.0	1.9	0
CT4	4336	0	6.1	19.1	2.5	0
		_				_

Rows per page 25 ▼									
All samples	N/A	0	6.1	19.6	2.6	0			
SC7	7493	0	6.4	19.0	2.8	0			
SC6	6668	0	6.2	19.2	2.7	0			
SC5	4329	0	6.4	19.6	2.4	0			
SC4	3678	0	6.5	19.0	2.1	0			
SC3	4588	0	6.3	19.1	2.4	0			
SC2	7882	0	6.3	19.4	2.5	0			
SC1	6570	0	6.2	19.0	2.9	0			
C15	4131	O	6.3	19.2	2.8	0			

Figure 11. Filter cells - cell classification table

If the input was a classified groups single cell counts data node, the cell count table includes a breakdown by classification and a bar chart is provided to show the number of cells from each classification remaining after filtering (Figure 6).




Figure 12. Filter cells - classification bar chart

Additional Assistance

★

★

★

Your Rating: ☆☆☆☆☆ Results: ★★★★ 29 rates

If you need additional assistance, please visit our support page to submit a help ticket or find phone numbers for regional support.