Compare Clusters

What is Compare clusters?

Compare clusters is a tool to identify the optimal number of clusters for K-means Clustering using the Davies-Bouldin index. The Davies-Bouldin index is a measure of cluster quality where a lower value indicates better clustering, i.e., the separation between points within the clusters is low (tight clusters) and separation between clusters is high (distinct clusters).

Running Compare clusters

We recommend normalizing your data prior to running Compare clusters, but the task will run on any counts data node.

- Click the counts data node
- Click the Exploratory analysis section of the toolbox
- Click Compare clusters
- Configure the parameters
- Click **Finish** to run (Figure 1)

Clustering	
Distance metric	i Euclidean 🔻
Minimum number of clusters	
Maximum number of clusters	
Grouping	
Split cells by sample	
Advanced options	
Option set	Default Configure
Back Finish	



The parameters for Compare clusters are the same as for K-means clustering.

Compare clusters task report

The Compare clusters task report is an interactive line chart with the number of clusters on the x-axis and the Davies-Bouldin index on the y-axis (Figure 2).



Figure 2. The Compare clusters task report shows the Davies-Bouldin index for each number of clusters.

The Compare clusters task report can be used to run K-means clustering.

• Click a point on the plot to select it or type the number of clusters in the text box Partition data into clusters

Selecting a point sets it as the number of clusters to partition the data into. The number of clusters with the lowest Davies-Bouldin index value is chosen by default.

• Click Generate clusters to run K-means clustering with the selected number of clusters

A K-means clustering task node and a Clustering result data node are produced. Please see our documentation on K-means Clustering for more details.

Additional Assistance

If you need additional assistance, please visit our support page to submit a help ticket or find phone numbers for regional support.

