




LDAP Configuration

Partek Flow user accounts can be tied to an organization's Lightweight Directory Access Protocol (LDAP) database. These can be configured by administrator accounts using the LDAP Configuration menu (Figure 1). Click on the  icon to edit the LDAP configuration. Enter the settings relevant to your domain. Consult with your organization's LDAP database administrator for assistance with configurations. For more information about any of the fields, mouse over the .

Once the LDAP settings have been successfully configured, proceed to the User management section of the Settings page then click on  Add new user. The Source is... checkbox should be checked and will denote the name of the LDAP configuration entered. Typing a few characters of the username will prompt Partek Flow to suggest users that are available in your LDAP database to add.

LDAP database

Database name	<input type="text" value="LDAP"/>	i
Provider URL	<input type="text" value="ldaps://ldapserver:636"/>	i
SASL authentication mechanisms	<input type="text"/>	i
Use SSL	<input checked="" type="checkbox"/>	i
Bind distinguished name	<input type="text" value="uid=jsmith,ou=people,dc=ma"/>	i

Bind password	<input type="password" value="....."/>	i
Base distinguished name for searches	<input type="text" value="dc=company,dc=com,dc=com"/>	i
Additional person distinguished name	<input type="text" value="ou=people"/>	i

Person object class and attributes

Object class	<input type="text" value="inetOrgPerson"/>	i
Unique person ID	<input type="text" value="uid"/>	i
Last name	<input type="text" value="sn"/>	i
First name	<input type="text" value="givenName"/>	i
Email	<input type="text" value="mail"/>	i
Title	<input type="text" value="title"/>	i
Department	<input type="text" value="ou"/>	i
Country	<input type="text" value="USA"/>	i
State	<input type="text" value="st"/>	i
Locality	<input type="text" value="l"/>	i

Group object class and attributes

Object class	<input type="text" value="group"/>	i
Name	<input type="text" value="cn"/>	i
Description	<input type="text" value="description"/>	i
Member	<input type="text" value="member"/>	i

Figure 1. Configuring LDAP settings

Additional Assistance

If you need additional assistance, please visit [our support page](#) to submit a help ticket or find phone numbers for regional support.



Your Rating:  Results:  34 rates